



Publication number : **0 659 353 A1**

⑫

EUROPEAN PATENT APPLICATION

⑳ Application number : **94309692.5**

⑤① Int. Cl.⁸ : **A24C 5/40**

㉔ Date of filing : **22.12.94**

③① Priority : **23.12.93 EP 93310504**

④③ Date of publication of application :
28.06.95 Bulletin 95/26

⑥④ Designated Contracting States :
**AT BE CH DE DK ES FR GB GR IE IT LI LU MC
NL PT SE**


⑦① Applicant : **FABRIQUES DE TABAC REUNIES
S.A.
Quai Jeanrenaud 3
P.O. Box 11
CH-2003 Neuchâtel-Serrières (CH)**

⑦② Inventor : **Nyffeler, Urs
Chemin des Rochettes 24
CH-2012 Auvemier (CH)
Inventor : Badertscher, Thomas
Pommeret 31
CH-2053 Cernier (CH)**


⑦④ Representative : **Marlow, Nicholas Simon
Reddie & Grose
16, Theobalds Road
London WC1X 8PL (GB)**

⑤④ **Kit for making a smoking article.**

⑤⑦ A kit for making a smoking article comprises a hull 10 which itself comprises a hollow cylinder 14 of cigarette paper having a filter at one end joined to it by tipping 16. The kit also includes a rectangular sheet 12 of reconstituted tobacco, the long side of which is the same length as the cylinder. The smoker rolls the sheet into a cylindrical shape and inserts it into the hull to make a cigarette.



EP 0 659 353 A1



The present invention relates to a kit for making a smoking article for assembly by a smoker. It also relates to a novel smoking article.

It is known to provide, separately, unsmokeable components of cigarettes to smokers for assembly into smokeable cigarettes. Conventionally, a tobacco rod wrapped in a very high porosity paper wrapper and, separately, an empty hull consisting of a cylinder of conventional cigarette wrapper closed at one end by a conventional filter plug attached to the wrapper by conventional tipping are provided.

The porosity of the very high porosity wrapper is such that the tobacco rod cannot be smoked. It is chosen, bearing in mind the packing density and other characteristics of the tobacco in the rod, to ensure that this is the case. Typical porosity values for the very high porosity wrappers are around 20000 Coresta units.

The smoker inserts the tobacco rod into a hull to make a smokeable cigarette.

Another cigarette component system, described in European Patent Application No. 93 305 363.9, consists of a tobacco column wrapped in a conventional cigarette wrapper. At one end, a hollow cylindrical extension is provided by a continuation of the wrapper beyond the tobacco column. The extension is treated to make it unsmokeable. The rod cannot be smoked, since drawing on the extension will cause it to collapse, and the unsmokeable nature of the extension makes it impossible to light that end and smoke the rod. The smoker renders the rod smokeable by inserting a filter plug into the extension.

According to the invention there is provided a kit for making a smoking article comprising: a hull comprising a cylinder of wrapping material preferably closed at one end by a filter; and separately, a sheet of smoking material such as reconstituted tobacco sheet.

Preferably the sheet of smoking material is generally rectangular, and has a width the same as the hollow length of the hull.

In order to make a smoking article, a smoker rolls the sheet into a cylinder of slightly smaller diameter than that of the hull, and inserts the rolled sheet into the open end of the hull.

The invention also provides a smoking article comprising a sheet of smoking material, such as reconstituted tobacco, rolled into a cylinder inside a cylindrical wrapper preferably provided with a filter at one end.

The sheet of smoking material is preferably a conventional sheet of reconstituted tobacco. It may be of flue cured, Burley, oriental or blended tobacco. It is envisaged that a kit may include several relatively thin sheets of reconstituted tobacco, of different tobaccos or blends. The smoker selects two or more such sheets, and rolls them together for insertion into a single hull. In this way, the smoker can blend his own to-

bacco.

The smoker can add flavouring material to the sheet before rolling it up and inserting it into the hull. The flavouring material can be solid, such as a powder, or liquid.

The invention will be further described by way of example with reference to the drawing which shows a preferred kit according to the invention, in the process of being made into a smoking article.

The kit shown in the drawing consists of a hull 10 and a sheet 12 of reconstituted tobacco. In the drawing, the sheet 12 is shown rolled into a cylinder.

The hull 10 comprises a cylinder 14 of cigarette wrapper joined at one end to a filter. The cylinder 14 consists of a sheet of conventional cigarette wrapper formed into a cylinder and glued along its free edges. The filter is axially aligned with the cylinder 14 and joined thereto by conventional tipping 16.

The smoker rolls the sheet 12 of reconstituted tobacco into a cylinder of slightly smaller diameter than the hull 10, and inserts the rolled sheet into the open end of the cylinder 14 of the hull 10, as shown in the drawing. The smoker pushes the rolled sheet 12 into the hull, so that the sheet abuts the filter. The assembled smoking article can be smoked as a conventional smoking article.

In another embodiment, not shown, the smoker rolls cut filler in a sheet of smoking material, such as a sheet of reconstituted tobacco, and inserts the thus formed rod into the hull of cigarette wrapper.

Claims

1. A kit for making a smoking article comprising: a hull (10) comprising a hollow cylinder (14) of wrapping; and separately, a sheet (12) of smoking material.
2. A kit according to claim 1 in which the hollow cylinder (14) is closed at one end by a filter.
3. A kit according to claim 1 or 2 in which the sheet (12) is of reconstituted tobacco.
4. A kit according to claim 1, 2 or 3 in which one principal dimension of the sheet (12) is substantially equal to the length of the hollow cylinder.
5. A kit according to any preceding claim comprising a plurality of sheets of smoking material, at least one of the sheets having a different tobacco composition to others of the sheets.
6. A smoking article made from a kit according to any preceding claim.
7. A smoking article comprising a sheet (12) of

smoking material rolled into a cylinder inside a cylindrical wrapper (14).

8. A smoking article according to claim 7 in which one end of the cylindrical wrapper (14) is closed by a filter. 5
9. A smoking article according to claim 7 or 8 in which the sheet (12) is of reconstituted tobacco. 10
10. A smoking article according to claim 7, 8 or 9 comprising a plurality of sheets of smoking material, at least one of the sheets having a different tobacco composition to others of the sheets. 15

20

25

30

35

40

45

50

55



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number

EP 94 30 9692

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
Y	EP-A-0 155 514 (EFKA-WERKE FRITZ KIEHN GMBH) * page 12, line 14 - page 13, line 15; figures 1,2 *	1,2,4-8, 10	A24C5/40
Y	EP-A-0 567 891 (BURGER SÖHNE AG BURG) * the whole document *	1,2,4-8, 10	
A	DE-A-18 09 983 (GALLAHER) * the whole document *	3,9	
A	FR-A-1 387 178 (SERVICE D'EXPLOITATION INDUSTRIELLE DES TABACS ET DES ALLUMETTES) * the whole document *	3,9	
A	DE-C-57 847 (MEYER) * the whole document *	1	
A	US-A-3 385 302 (WATTENFORD)		
			TECHNICAL FIELDS SEARCHED (Int.Cl.6)
			A24C A24D
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 21 March 1995	Examiner Riegel, R
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons</p> <p>A : member of the same patent family, corresponding document</p>			

EPO FORM 1503 (04.92) (P04C01)